






Pipe Hanging Devices

Pipe Hangers





FFF Number	Mfg. Number	Description	Pack
PIPE HANGERS			
Heavy Duty Swivel Ring Hanger			
Used as a general purpose pipe hanger. Knurled swivel nut design permits hanger adjustment after installation. UL Listed and FM Approved.			
576401	115	3/8" THREAD - 1" IPS	100
576402	115	3/8" THREAD - 1-1/4" IPS	100
576403	115	3/8" THREAD - 1-1/2" IPS	100
576404	115	3/8" THREAD - 2" IPS	100
576405	115	3/8" THREAD - 2-1/2" IPS	50
576406	115	3/8" THREAD - 3" IPS	50
576407	115	3/8" THREAD - 4" IPS	25
576408	115	1/2" THREAD - 6" IPS	20
576409	115	1/2" THREAD - 8" IPS	15
Strut Clamps			
Secures pipe to solid or slotted channel to provide support.			
571423	RIGD	1" IPS	100
571424	RIGD	1-1/4" IPS	50
571425	RIGD	1-1/2" IPS	50
571426	RIGD	2" IPS	50
571427	RIGD	2-1/2" IPS	25
571428	RIGD	3" IPS	25
571429	RIGD	4" IPS	25
571430	RIGD	5" IPS	25
571431	RIGD	6" IPS	25
571432	RIGD	8" IPS	25
U-Bolts			
Secures pipe to channel or angle iron to provide support.			
578504	150	1-1/2" IPS - WITH NUTS	100
578505	150	2" IPS - WITH NUTS	50
578506	150	2-1/2" IPS - WITH NUTS	50
578507	150	3" IPS - WITH NUTS	50
578508	150	4" IPS - WITH NUTS	50
578509	150	6" IPS - WITH NUTS	100
Slotted Channel - Green			
For use as a trapeze, ceiling, or wall support attachment. 12 gauge steel.			
576801	A-12HS	1-5/8" X 1-5/8" X 10'	50
Channel-A-Spring Nut			
For use with slotted channel.			
578481	SPRA	3/8"	1
578483		1/2"	1



Sway Bracing & U-Hooks

FFF Number	Mfg. Number	Description	Pack
Sway Braces			
Used to secure pipe where movement due to seismic activity might be expected. UL Listed and FM Approved.			
571540	E-001	1" BRACE - 1" IPS	25
571541	E-001	1" BRACE - 1-1/4" IPS	25
571542	E-001	1" BRACE - 1-1/2" IPS	25
571543	E-001	1" BRACE - 2" IPS	25
571544	E-001	1" BRACE - 2-1/2" IPS	10
571545	E-001	1" BRACE - 3" IPS	10
571546	E-001	1" BRACE - 4" IPS	10
571548	E-001	1" BRACE - 6" IPS	10
571549	E-001	1" BRACE - 8" IPS	5
571552	E-020	1-1/4" BRACE - 1-1/2" IPS	25
571553	E-020	1-1/4" BRACE - 2" IPS	25
571554	E-020	1-1/4" BRACE - 2-1/2" IPS	10
571555	E-020	1-1/4" BRACE - 3" IPS	10
571556	E-020	1-1/4" BRACE - 4" IPS	10
571558	E-020	1-1/4" BRACE - 6" IPS	10
571559	E-020	1-1/4" BRACE - 8" IPS	5
Sway Brace Swivel Ends			
Used to attach brace pipe to the wall or ceiling. UL Listed.			
575952	070	1" SWIVEL END - THREADED	50
575953	070	1-1/4" SWIVEL END - THREADED	50
575962	077	1" SWAY BRACE-LOCKING END	50
575963	077	1-1/4" SWAY BRACE-LOCKING END	50
U-Hooks			
Used to support piping from wood beams where no expansion or contraction is expected. Meets NFPA requirements.			
575630	200	1-1/4" IPS X 4"	50
575632	200	1-1/4" IPS X 6"	50
575634	200	1-1/4" IPS X 8"	50
575636	200	1-1/4" IPS X 10"	50
575638	200	1-1/4" IPS X 12"	50
575648	200	1-1/4" IPS X 16"	50
575649	200	1-1/4" IPS X 20"	50
575662	200	2" IPS X 6"	50
575664	200	2" IPS X 8"	50
575666	200	2" IPS X 10"	50
575668	200	2" IPS X 12"	50
575670	200	2-1/2" IPS X 4"	50
575672	200	2-1/2" IPS X 6"	50
575676	200	2-1/2" IPS X 10"	50
575678	200	2-1/2" IPS X 12"	50
575686	200	3" IPS X 10"	50
575688	200	3" IPS X 12"	50
575692	200	4" IPS X 6"	50
575694	200	4" IPS X 8"	50
575696	200	4" IPS X 10"	50
575699	200	4" IPS X 12"	50
575536	202	1-1/4" X 10" UL U-HOOK	50
575538	202	1-1/4" X 12" UL U-HOOK	50
575566	202	2" X 10" UL U-HOOK	50
575568	202	2" X 12" UL U-HOOK	50

AFCO








Pipe Hanging Devices

Yook® Hangers & Pipe Clamps

FFF Number	Mfg. Number	Description	Pack
		Wrap-A-Round U-Hook Used to prevent the pipe at the end of a run or a branch line from jumping and damaging the sprinkler head on the ceiling or beam. Meets NFPA requirements.	
575438	205	1-1/2" IPS X 12"	50
575437	205	1-1/2" IPS X 14"	50
575440	205	2" IPS X 12"	50
		Yook® Hangers Attached with drive screws and used as an alternative to U hangers attached with lag bolts.	
575800	135	1" & 1-1/4" IPS X 6"	50
575801	135	1" & 1-1/4" IPS X 8"	50
575802	135	1" & 1-1/4" IPS X 10"	50
575803	135	1" & 1-1/4" IPS X 12"	50
575820	135	1-1/2" & 2" IPS X 6"	50
575821	135	1-1/2" & 2" IPS X 8"	50
575822	135	1-1/2" & 2" IPS X 10"	50
575824	135	1-1/2" & 2" IPS X 12"	50
575826	135	1-1/2" & 2" IPS X 14"	50
575844	135	2-1/2" & 3" IPS X 12"	50
		Yook® Wrap-A-Round Attached with drive screws and used as an alternative to wrap-a-round U hangers attached with lag bolts. UL Listed and FM Approved.	
575932	137	1" & 1-1/4" X 12"	50
575942	137	1- 1/2" & 2" X 12"	50
		Standard Pipe Clamps For suspension of heavy pipe lines that require little or no insulation. May also be used as a pipe connection for longitudinal seismic bracing.	
576040	450	1-1/4" IPS	50
576041	450	1-1/2" IPS	25
576042	450	2" IPS	25
576043	450	2-1/2" IPS	25
576044	450	3" IPS	25
576045	450	4" IPS	25
576046	450	6" IPS	10
576048	450	8" IPS	5
		Riser Clamps Used to support steel pipe risers.	
576020	510	1-1/4" IPS	25
576021	510	1-1/2" IPS	25
576022	510	2" IPS	25
576023	510	2-1/2" IPS	25
576024	510	3" IPS	25
576025	510	4" IPS	20
576026	510	6" IPS	5
576027	510	8" IPS	5


AFCON










Pipe Hangers & Accessories

FFF Number	Mfg. Number	Description	Pack
CPVC Hangers			
Pipe strap type hangers designed specially for CPVC. Retainer "dimples" hold clamps in place to free hands to hang pipe. Offset edges will not abrade plastic pipe. UL Listed.			
576010	512	ONE HOLE STRAP - 3/4" CPVC	100
576011	512	ONE HOLE STRAP - 1" CPVC	100
576030	510	TWO HOLE STRAP - 3/4" CPVC	100
576031	510	TWO HOLE STRAP - 1" CPVC	100
576032	510	TWO HOLE STRAP - 1-1/4" CPVC	100
576033	510	TWO HOLE STRAP - 1-1/2" CPVC	100
576034	510	TWO HOLE STRAP - 2" CPVC	100
576050	511	TWO HOLE SIDE MOUNT STRAP - 3/4" CPVC	100
576051	511	TWO HOLE SIDE MOUNT STRAP - 1" CPVC	100
576052	511	TWO HOLE SIDE MOUNT STRAP - 1-1/4" CPVC	100
576053	511	TWO HOLE SIDE MOUNT STRAP - 1-1/2" CPVC	100
576054	511	TWO HOLE SIDE MOUNT STRAP - 2" CPVC	100
576060	513	ONE HOLE STRAP - 3/4" CPVC	100
576061	513	ONE HOLE STRAP - 1" CPVC	100
576062	513	ONE HOLE STRAP - 1-1/4" CPVC	100
576063	513	ONE HOLE STRAP - 1-1/2" CPVC	100
576064	513	ONE HOLE STRAP - 2" CPVC	100
Side Beam Bracket			
Used as an economical non-tapped structural attachment fastened to the wall or the side of a joist to secure a hanger rod.			
576091	326	FOR 3/8" ALL THREAD ROD	50
576092	325	FOR 1/2" ALL THREAD ROD	50
Steel Tapped Side Beam Connector			
Easy to install pre-tapped bracket used to support hangers from steel or wood beams. Can be used with concrete shot type inserts. UL Listed.			
576110	552	3/8" THREAD	100
576111	551	3/8" "REVOLVER"	100
576112	555	1/2" THREAD	100
Beam Clamps - Reversible			
Use for hanging from either the top or the bottom of metal beams, purlins, channel, or angle iron.			
576130	100	3/8" THREAD - 3/4" MOUTH	100
576151	105	3/8" THREAD - 1-1/4" MOUTH	100
576131	100	1/2" THREAD - 3/4" MOUTH	100
Retaining Strap			
Used with #300 and #310 beam clamps to offer a more secure fastening of the clamp to the beam when there is a danger of movement. UL Listed.			
576172	160	3/8" HOLE X 6"	100
576173	160	3/8" HOLE X 8"	100
576174	160	3/8" HOLE X 10"	100
576175	160	3/8" HOLE X 12"	100
576182	162	3/8" HOLE - 1/2" X 6" RETRO	100
576183	162	3/8" HOLE - 1/2" X 8" RETRO	100
576184	162	3/8" HOLE - 1/2" X 10" RETRO	100

AFCON







Accessories

FFF Number	Mfg. Number	Description	Pack		
576221	610	Wall Plate Used to hang all thread rod from wood beams or ceilings. May also be welded to steel beams.	100		
		3/8" THREAD			
		All Thread Rod - Steel Used to connect a ring or clevis hanger to the wall or ceiling attachment.		100 100 100 100 100 100 25 12 8 25 5	
		3/8" THREAD X 2" - BLACK			
		3/8" THREAD X 4" - BLACK			
		3/8" THREAD X 6" - BLACK			
		3/8" THREAD X 8" - BLACK			
		3/8" THREAD X 10" - BLACK			
		3/8" THREAD X 12" - BLACK			
		3/8" THREAD X 10' - BLACK			
		1/2" THREAD X 10' - BLACK			
5/8" THREAD X 10' - BLACK					
3/8" THREAD X 10' - ZINC PLATED					
3/4" THREAD X 10' - ZINC PLATED					
576280	40	Plain Eye Rods	100 100 100 50		
		3/8" THREAD X 4"			
		3/8" THREAD X 6"			
		3/8" THREAD X 8"			
		3/8" THREAD X 12"			
576350	356	Steel Wood Beam Clamp (TGI) Used with eye rod or eye sockets and all thread rod as an effective method of hanging from wood joist type beams.	50 25 25		
		TYPE 1 - 1-1/2" HIGH X 2-5/16" WIDE BEAMS			
		TYPE 2 - 1-3/4" HIGH X 2-1/2" WIDE BEAMS			
576353	356	TYPE 4 - 1-1/2" HIGH X 3-1/2" WIDE BEAMS			
576500	37	Eye Sockets Used to connect a hanger rod to the structure either directly or as an intermediate attachment used with a beam clamp.	250 100		
		3/8" THREAD - 1/2" THROUGH 4" PIPE			
576501	37	1/2" THREAD - 5" THROUGH 8" PIPE			
578050	38	Offset Eye Socket Used in the same manner as a standard eye socket, but featuring offset threads so all thread rod will run straight through for unlimited vertical adjustment.	250		
		3/8" THREAD - 1/2" THROUGH 4" PIPE			
578130	43	Drive Screw Fastener used to secure attachments to wood beams. Easily installed with a hammer.	100		








Bolts & Screws

FFF Number	Mfg. Number	Description	Pack
		Lag Bolts Threaded fastener used to secure attachments to wood beams. Will handle heavier loads than drive screws.	
578008		3/8" THREAD X 2"	100
578010	42	3/8" THREAD X 2-1/2"	100
578012	42	1/2" THREAD X 2-1/2"	25
578013		1/2" THREAD X 3"	25
578018		5/16" THREAD X 1-1/2"	100
		Sheet Metal Screws Threaded fastener used to secure attachments.	
578402		#14 X 1" - HEX HEAD	100
578403		#14 X 1-1/4" - HEX HEAD	100
578404		#14 X 1-1/2" - HEX HEAD	100
578405		#14 X 2" - HEX HEAD	100
578406		#14 X 2-1/2" - HEX HEAD	100
		Tek Screws Threaded fastener used to secure attachments to wood beams.	
578412		#14 X 1" - HEX HEAD	100
578413		#14 X 1-1/4" - HEX HEAD	100
578414		#14 X 1-1/2" - HEX HEAD	100
578415		#14 X 2" - HEX HEAD	100
578416		#14 X 2-1/2" - HEX HEAD	100
		Coach Screw Rods Threaded fastener used to secure attachments to wood beams. Features standard threads on one end for use with a rod coupling and threaded rod.	
578104	41	3/8" THREAD X 4"	100
578106	41	3/8" THREAD X 6"	100
578108	41	3/8" THREAD X 8"	100
		Threaded Stud Similar to a coach screw rod, but for installation with powder actuated tools. After the stud has been "shot" into the ceiling, a rod coupling is used to secure a length of all thread rod to it.	
578120	9190	3/8" THREAD - 1-1/4" SHANK	100
		Shots	
578390		27 CALIBER - RED	100
578391		27 CALIBER - PURPLE	100
		Drop-In Anchors Used in pre-drilled holes to anchor allthread rod or bolts in concrete.	
578153	WD38	3/8" THREAD	50
578154	WD12	1/2" THREAD	50
578155		3/8" SETTING TOOL FOR DROP-IN ANCHOR	0000
578156		1/2" SETTING TOOL FOR DROP-IN ANCHOR	0000



Pipe Hanging Devices

Nuts & Washers

FFF Number	Mfg. Number	Description	Pack	
		<p>Steel Rod Couplings Used to join threaded rod to a coach screw or threaded stud, or for coupling two threaded rods together.</p>		
578030	25	3/8" THREAD X 1-1/8"	100	
578031	25	1/2" THREAD X 1-1/4"	50	
578032	25	5/8" THREAD X 2-1/8"	25	
578033	25	3/4" THREAD X 2-1/4"	25	
		<p>Hex Nuts - Plain For above ground use.</p>		
578316		3/8"-16 PLAIN	100	
578320		1/2"-13 PLAIN	100	
578324		5/8"-11 PLAIN	100	
578330		3/4"-10 PLAIN	50	
		<p>Hex Nuts - Heavy For below ground use. Heavy wall, zinc plated.</p>		
578335		3/4"-10 HEAVY	50	
		<p>Washers Keeps nut from being pulled through the hole in a fastener.</p>		
578020	12	3/8" X 2" - FENDER	100	
578343	11	3/8" - USS FLAT	100	
578344	11	1/2" - USS FLAT	100	
578345	11	5/8" - USS FLAT	100	
578346	11	3/4" - USS FLAT	100	
		<p>Straps General pipe support or hold down. Available in plain, electro-galvanized, H.D.G. and stainless steel.</p>		
576120	500	1" STANDARD PIPE STRAPS	50	
576121	500	1-1/4" STANDARD PIPE STRAPS	25	
576122	500	1-1/2" STANDARD PIPE STRAPS	25	
576123	500	2" STANDARD PIPE STRAPS	25	
576124	500	2-1/2" STANDARD PIPE STRAPS	25	
576125	500	3" STANDARD PIPE STRAPS	25	
576126	500	4" STANDARD PIPE STRAPS	25	
576127	500	6" STANDARD PIPE STRAPS	10	
576128	500	8" STANDARD PIPE STRAPS	10	
203114		1/2" PIPE STRAPS - GALVANIZED	250	
203115		3/4" PIPE STRAPS - GALVANIZED	150	
203116		1" PIPE STRAPS - GALVANIZED	100	
203117		1-1/4" PIPE STRAPS - GALVANIZED	50	
203118		1-1/2" PIPE STRAPS - GALVANIZED	50	
203119		2" PIPE STRAPS - GALVANIZED	25	
203120		2-1/2" PIPE STRAPS - GALVANIZED	50	
203121		3" PIPE STRAPS - GALVANIZED	50	
203122		4" PIPE STRAPS - GALVANIZED	25	

Pipe Hanging Devices

Screws, Bolts & Toggle Wings

FFF Number	Mfg. Number	Description	Pack
Ceiling Plates			
576225	395	1" CAST IRON GALVANIZED	1
576226	395	1-1/4" CAST IRON GALVANIZED	1
576227	395	1-1/2" CAST IRON GALVANIZED	1
576228	395	2" CAST IRON GALVANIZED	1
Nylon Ties			
Bagged, 50 per bag.			
576584		7"	50
Super Screws			
Replaces antiquated methods now used for vertical and horizontal applications. Complies with NFPA 13 and most other standards.			
578350	GST20	SAMMYS FASTENER - #GST20 WOOD SCREW	25
578352	GST30	SAMMYS FASTENER - #GST30 WOOD SCREW	25
578355	SWG20	SAMMYS FASTENER - #SWG20 WOOD SCREW	25
578356	SWG25-380	SAMMYS FASTENER - #SWG25-380 WOOD SCREW - UL LISTED	25
578357	DSTR516	SAMMYS FASTENER - #DST516 STEEL SCREW	25
578358	SWDR516	SAMMYS FASTENER - #SWDR516 STEEL SCREW	25
578360	TEK50	SAMMYS FASTENER - #TEK50 STEEL SCREW	25
578365	14	SAMMYS FASTENER - #14 NUT DRIVER	1
578366	145W	SAMMYS FASTENER - #145W NUT DRIVER	1
578374		SAMMYS XPRESS INSTALLATION TOOL	1
Hex Head Bolts			
578295		3/8" X 1"	1
578296		3/8" X 1-1/2"	1
578299		1/2" X 1"	1
578300		1/2" X 1-1/2"	1
Toggle Wing			
For use with plywood and sheetrock.			
578370		3/8" -16 ZINC	1

