











Lubricants and Coatings






PFS Number	Mfg. Number	Description	Pack	
LUBRICANTS				
Thread Cutting Oil - Dark Lubricates thread cutting dies.				
481030		1 GALLON - RIDGID DARK	6	
481031		5 GALLON - RIDGID DARK	1	
481032		55 GALLON - RIDGID DARK	1	
481044	40-220	GALLON	6	
481045	40-225	5 GALLON	1	
Thread Cutting Oil - Light Lubricates thread cutting dies.				
481020		1 GALLON - RIDGID NU-CLEAR	6	
481021		5 GALLON - RIDGID NU-CLEAR	1	
481022		55 GALLON - RIDGID NU-CLEAR	1	
481049	40-120	GALLON	6	
481050	40-125	5 GALLON	1	
Water Washable Oil Synthetic thread cutting fluid cleans easily off concrete, clothing, and piping with water. Biodegradable.				
481040	74022	GALLON - WATER WASHABLE OIL	6	
Gasket Lube Lubricates gaskets for easy joint assembly.				
481416	78713	QUART	12	
WD-40 Spray Lubricant WD-40 is used for cleaning, lubricating, penetrating stuck metal parts, displacing moisture and protecting against rust and corrosion. It helps clean oil stains from cement floors, dissolves most kinds of tapes, decals and adhesives and cleans most grease and grime.				
481112	WD-11	11 OUNCE AEROSOL CAN	1	
Victaulic Lubricant Gasket Lube.				
481414		4-1/2 OUNCE TUBES (PACK-12 TUBES)	12	
Bitsumastic Coating A High build coal tar epoxy paint for corrosion protection on steel and underground products				
481419		ONE GALLON	1	

Thread Sealants

PFS Number	Mfg. Number	Description	Pack
THREAD SEALANTS			
Permabond Anaerobic Sealant			
A general purpose pipe sealant w/Teflon® that provides an instant seal up to 1000 PSI with limited hand tightening.			
484020		50 ML	1
484025		250 ML	1
484035		350 ML	1
484040		1 L	1
484044		14 L	1
Anaerobic Thread Sealant			
Seals new or damaged metal threads instantly. Resists water, chemicals and oils. Lubricates, seals and prevents corrosion.			
484002	56765	250 ML TUBE	1
484004	56790	1 LITER	1
484005	PS165BRUSHTOP	750 ML WITH BRUSHTOP	1
484007	PS165	14 LITER	1
Thread Sealant Paste - Teflon®			
Smooth ground paste with superior sealing properties.			
481070		QUART	12
481075		GALLON	4
481076		5 GALLON	1
<i>55 Gallon Drums also available.</i>			
Power Seal			
PTFE based pipe joint compound specially formulated for the fire sprinkler industry for use on all metal, PVC and CPVC. Safe to use on systems using glycols.			
481071	PS32	QUART NON-DRYING, WHITE PURE-"PAINT TOP"	1
Anaerobic Weld Sealant			
A water thin product for locking preassembled parts through a wicking action.			
484008	19179	1 LITER	1
Thread Sealant Tape - Teflon®			
Used to seal threads where blockage or dripping must be avoided.			
481100	50013	1/2" X 520" ROLL	100
481101	7201006	3/4" X 520" ROLL	70
Ridgid Thread Sealant			
Gray (no Teflon®) formula is NFS and UPC listed and approved for potable water use. Non-toxic lead-free formula won't harden or freeze. This sealant is a smooth, extra-tacky paste that clings to the threads and provides a leak-proof seal.			
481170	84342	QUART CAN WITH BRUSH-IN-CAN	1



Compounds, Flux and Solder

PFS Number	Mfg. Number	Description	Pack
THREAD SEALANTS			
Slic-Tite® Paste Heavy -Duty thread sealing compound. Non-toxic, non-drying, anti-seize. Brushed on easily in hot or cold temperatures. Use on metal and PVC pipe thread connections.			
481000	42013	QUART SLIC-TITE PASTE DOPE WITH BRUSH TOP	1
481001	42012	PINT SLIC-TITE PASTE DOPE WITH BRUSH TOP	1
481077	42014	GALLON	1
			
Foam Sealant Innovative latex polymer foam technology. Fills, seals and insulates cracks, gaps and voids around windows, doors, pipes, vents, outlets, foundations and crawl spaces. Easy to use latex foam won't over-expand and cleans up with water.			
481111	18826	12 OUNCE AEROSOL - WHITE	1
			
PRIMERS, CEMENTS & COMPOUNDS			
Anti-Freeze			
481092		5 GALLON RESI-FREEZE GLYCERINE - 95.5%	1
481095		5 GALLON PROPYLENE GLYCOL	1
481096		55 GALLON PROPYLENE GLYCOL	1
FIRESTOP COMPOUNDS			
Used to seal openings created when penetrating a fire wall or ceiling with pipe, conduit, etc.			
Firestop - Caulking A hard setting, shrink resistant caulk primarily designed for small openings or gaps of 1-1/2" or less.			
481365	FS900	10.3 OZ. CARTRIDGE	12
481360	FS929	31 OZ. CARTRIDGE	6
			
Firestop - Trowelable A hard setting, shrink resistant compound primarily designed for large openings in the floor.			
481375	FST901	1 GALLON PAIL	4
481370	FST905	5 GALLON PAIL	1
			
Firestop - Mineral Wool Used as a fire resistant backing material for firestop caulking or putty.			
481355	MW-1	1 LB BAG	5
			


Flux & Solder and Accessories

PFS Number	Mfg. Number	Description	Pack
FLUX AND SOLDER			
Flux - Paste			
Cleans surface oxidation and provides wetting for proper solder flow.			
480009	30041	1 LB. CAN	12
Solder - 95/5			
Used where frequent and extreme temperatures change and vibrations occur. Safe for potable water supply systems. Lead free, high strength alloy exhibits excellent creep resistance. Either 95% Tin-5% Antimony or 50% Tin-50% Antimony.			
480510		1 LB. SPOOL 95/5	50
480500		1 LB. SPOOL 50/50	50
Solder - Lead Free			
Used where potable water supply systems might be affected. Lead free silver bearing alloy with good flow character at low temperatures.			
480520		1 LB. SPOOL	50
BRUSHES AND DAUBERS			
Brushes - Acid			
Used to apply tinner's acid to copper pipe and fittings prior to soldering.			
305952		ACID BRUSH -#1	144
305954		ACID BRUSH -#3	144
ACCESSORIES			
MAPP Gas			
Used with hand torches for soldering.			
480040	MT-1	9.03 CUBIC FOOT CYLINDER	12
Abrasive Cloth			
For cleaning contaminants and oxides from copper pipe and fittings prior to soldering.			
493749	740-10	1-1/2" X 10 YD.	50
Pipe Dope Brush			
For applying pipe joint compounds to threads.			
481087	50-310	3/4" BRISTLES - WOODEN HANDLE	144

Oatey



TurboTorch




Accessories and Wall Plates

PFS Number	Mfg. Number	Description	Pack
ACCESSORIES			
		Glue Dauber Replaces worn or lost dauber for solvent cement or primer.	
512025	997-0301	1-1/2" - QUART CANS	1
		Tape - Pipe Wrap Used to wrap pipe when buried to enhance corrosion resistance.	
247110		2" X 100' - 10MIL THICKNESS	24
247120		2" X 100' - 20MIL THICKNESS	24
		General purpose heavy duty black plastic adhesive tape.	
247060		2" X 60 YARDS-GREY - DUCT TAPE	24
		Wall Plates - Metal Conceals pipe exit hole in wall. Spring steel inserts and a positive locking tab assure that the plate will grab the pipe and stay tight to the wall.	
522604		1/2" IPS - CHROME	24
522605	45-20-101	3/4" IPS - CHROME	24
522606	45-20-102	1" IPS - CHROME	24
522607	45-20-103	1-1/4" IPS - CHROME	24
522608	45-20-104	1-1/2" IPS - CHROME	24
522609	45-20-105	2" IPS - CHROME	24
522610	45-20-106	2-1/2" IPS - CHROME	12
522611	45-20-107	3" IPS - CHROME	12
522612	45-20-108	4" IPS - CHROME	12
522613	45-20-109	5" IPS - CHROME	6
522614	45-20-110	6" IPS - CHROME	6
522615	45-20-111	8" IPS - CHROME	6
		Wall Plates - Plastic Conceals pipe exit hole in wall. Twists around pipe and snaps closed.	
522624		1/2" IPS - CHROME FINISH	12
522625		3/4" IPS - CHROME FINISH	12
522616	ESPLFCP0100	1" IPS - CHROME FINISH	12
522617	ESPLFCP0125	1-1/4" IPS - CHROME FINISH	12
522628	ESPLFCPC0150	1-1/2" IPS - CHROME FINISH	12
522629	200	2" IPS - CHROME FINISH	12
522623	ESPLFCPC0250	2-1/2" IPS - CHROME FINISH	12
522631	300	3" IPS - CHROME FINISH	12
522632	ESPLFCPC0400	4" IPS - CHROME FINISH	12
522633		5" IPS - CHROME FINISH	6
522626	ESPLFCPC0600	6" IPS - CHROME FINISH	6
522635	ESPLFCPC0800	8" IPS - CHROME FINISH	6







Assorted Accessories

PFS Number	Mfg. Number	Description	Pack
ACCESSORIES			
Wall Plates - Plastic (Continued)			
522618	ESPLFCPW0150	1-1/2" IPS - WHITE	
522619	ESPLFCPW0200	2" IPS - WHITE	
522620	ESPLFCPW0250	2-1/2" IPS - WHITE	
522621	ESPLFCPW0300	3" IPS - WHITE	
522622	ESPLFCPW0400	4" IPS - WHITE	
522636		6" IPS - WHITE	
Wall Plates - Galvanized			
522810		1/2" IPS MI - GALVANIZED	1
522811		3/4" IPS MI - GALVANIZED	1
522812		1" IPS MI - GALVANIZED	1
522813		1-1/4" IPS MI - GALVANIZED	1
522814		1-1/2" IPS MI - GALVANIZED	1
522815		2" IPS MI - GALVANIZED	1
522817		3" IPS MI - GALVANIZED	1
Safety Plates - Steel			
Used to prevent fasteners from penetrating pipe or conduit where it passes through a stud.			
203245		1-1/2" X 3"	500
203265		2" X 5"	100
Hand Cleaner - Citrus			
Used to remove oil and dirt from hands and tools. Citrus base cuts through grease while pumice scrubs off tough dirt.			
480680	140	1 LB. CAN	12
480681	145	4.5 LB. CAN	6
Dispenser - Pump			
Used to dispense hand cleaner directly from the can.			
480685	300PD	FOR 4.5 LB. CAN	1
Hand Cleaning Towels			
Removes plastic pipe cements, sealants, grease, paint and most other tough soils. Contains aloe, lanolin and vitamin A. No harsh solvents and chemicals.			
480695		PRE-MOISTENED (70 TOWELS)	6
Terry Towels			
3 roll pack. White.			
480015		WHITE - 3 PACK - ROLL	1
Shop Rags			
480010	62003	RED - 3 PACK	1



Assorted Accessories

PFS Number	Mfg. Number	Description	Pack	
ACCESSORIES				
		Yellow Barrier/Flagging Tape Yellow plastic continuous tape with the word "Caution" printed in black.		
481200		CAUTION TAPE-3" X 300'	8	
		Tracer Wire Copper wire used to facilitate the detection of underground piping.		
481250	54602-05-00	500 FT. SPOOL - 12 GAUGE	1	
481450	54601-05-00	500 FT. SPOOL - 14 GAUGE	1	
		Poly Wrap Corrosion resistant. Protective plastic wrap used to protect underground piping.		
481417	21X350POLY	POLY WRAP	1	
TOOL HOLDERS AND ACCESSORIES				
		Work Gloves Long lasting work gloves designed to protect the hands during various tasks.		
480050		UNLINED COTTON - 8 OZ.	12	
480055		LINED COTTON - 14 OZ.	12	
480052		UNLINED COTTON WITH GRIP DOTS - 10 OZ.	12	
480054		UNLINED LEATHER	12	
480057		COTTON KNIT (MEDIUM)	12	
480060		BROWN JERSEY	12	
		Smitty Gloves		
480059	N4A274	PAIR	1	
		Pipe Handling Gloves		
480070		BROWN AND PVC (PAIR)	1	
		39 Pocket Bucket Brigade Rugged, built to last. Simply attaches to any standard 5 gallon bucket.		
480180	8600	HEAVY-DUTY FABRIC	25	

Assorted Accessories

PFS Number	Mfg. Number	Description	Pack
RAYOVAC BATTERIES & FLASHLIGHTS			
Alkaline Maximum Industrial Batteries			
Ideal for all of your high drain frequent use devices. Mercury and cadmium free formula. Guaranteed against leakage.			
495125	AL-AA	AA SIZE - SHRINK (8 PER PACK)	12
495110	AL-AAA	AAA SIZE - SHRINK (8 PER PACK)	12
495100	AL-C	C SIZE - SHRINK (6 PER PACK)	12
495120	AL-D	D SIZE - SHRINK (6 PER PACK)	12
495130	AL-9V	9V SIZE - SHRINK (6 PER PACK)	12
SAFETY GLASSES & ACCESSORIES			
First Aid Kits			
The #10-777T is suitable for shop and off usage, while the #10-905 is suitable for truck and auto usage.			
483010	10-777T	FIRST AID KIT - 121 PIECES	1
483020	10-905	FIRST AID KIT - AUTO POUCH - 50 PIECES	1
Non-Toxic Dust Mask			
Adjustable metal nosepiece. Lightweight fiber for comfort. Low-profile design. Does not meet NIOSH.			
483160	28076	NON-TOXIC DUST MASK	50
'Cudas™ Safety Glasses			
Low profile, 'Cudaslide™ adjustable temple for individual fit with five different lengths. Six-base lens curve and folded back lens design provide increased peripheral vision and protection. Durable, modified nylon.			
483118	19157	BLUE FRAME WITH CLEAR LENS	12
483119	19143	BLACK FRAME WITH CLEAR FOGGARD™ PLUS LENS	12
483121	19144	BLACK FRAME WITH SMOKE LENS	12
483130	19143	BLACK FRAME WITH CLEAR ANTI-FOG LENS	1
483120	19149	BLACK METAL FRAME WITH AMBER LENS	1
Cudas™ Caddy			
Black pouch stores one pair of Cudas™ and two replacement lenses for a variety of workplace applications.			
483122	19179	CADDY W/BLACK FRAME/CLEAR LENS CUDAS, SMOKE AND SUNBURST MIRROR LENS	1
Visio™ Spectacles			
Sleek and lightweight style. One piece polycarbonate front with adjustable temples. Wrap-around protection.			
483115	19492	SILVER FRAME WITH CLEAR LENS	12
483116	19496	BLACK FRAME WITH AMBER LENS	12
483117	19497	BLACK FRAME WITH BLUE MIRROR LENS	12







RAYOVAC



AMERICAN ALLSAFE COMPANY®





Assorted Accessories






PFS Number	Mfg. Number	Description	Pack	
SAFETY GLASSES & ACCESSORIES				
Rapz™ Spectacles				
Unique style that RAPZ™ around for protection. Innovative design built with comfort and performance. Nylon frame with single lens. Ratchet and adjustable temple.				
483110	19526	BLACK FRAME WITH CLEAR LENS	12	
483111	19528	BLACK FRAME WITH BLUE MIRROR LENS	12	
483112	19529	BLACK FRAME WITH SILVER INDOOR/OUTDOOR	12	
LBC7 Spectacles				
Sleek, sporty style. Single lens wrap-around protection. Flexible cable temples for perfect fit.				
483113	19515	BLACK FRAME WITH CLEAR LENS	12	
483114	19518	BLACK FRAME WITH BLUE MIRROR LENS	12	
Ram Cap™ Hard Hat				
Adjusts to fit sizes 6-1/2" - 8". Squared-off nape for secure non-shifting fit. Universal slots accommodate hearing, welding and faceshield accessories.				
483190	14716	SAFETY HARD HAT - WHITE	1	
ACCESSORIES				
Pipe Marking Pens				
Used to mark pipe for fabrication.				
481310	96800	WHITE - VALVE ACTION	24	
481311	96801	YELLOW - VALVE ACTION	24	
481312		RED		
481313		BLUE		
481314		GREEN		
Pipe Marking Pencil				
481320	80323	KEEL CRAYON - BLACK	1	
481321	80321	KEEL CRAYON - YELLOW	1	
481322	85400	KEEL HOLDER WITH LEATHER STRAP	1	
Access Panels - Drywall / Stucco				
All purpose door for drywall installation. Allows access for inspection or service of wall recessed components. Screwdriver lock, primer coated. Milled steel.				
522708	DW88	8" X 8"	1	
522712	DW1212	12" X 12"	1	
522716	DW1218	12" X 18"	1	
522718	DW1224	12" X 24"	1	
522720	DW1414	14" X 14"	1	
522724	DW1620	16" X 20"	1	
522760	SF	16" X 16"	1	
522744	DW2424	24" X 24"	1	
522778	ML88	8" X 8" - PRIMERED	1	
522790	PW12X18SOLPRS	12" X 18" - PRIMERED	1	
522788	ML1224	12" X 24" - PRIMERED	1	

Assorted Accessories

PFS Number	Mfg. Number	Description	Pack
ACCESSORIES			
522803		Sprinkler Head Cabinets For storing spare sprinkler heads. Sturdy welded steel construction, full length hinge, red enamel finish.	
522800	02401	3 HEAD CAPACITY	20
522808	G5-10151A	6 HEAD CAPACITY	20
522805	02400	6 HEAD CAPACITY - ESFR	1
		12 HEAD CAPACITY	20
Sprinkler Head Guards Used to protect sprinkler heads from inadvertent damage.			
522505	01-100	4-1/4" CAGE RED	100
Lock - Breakable Used to prevent casual tampering with a valve or indicator. Specially constructed cut-away shackle shatters with a single blow from a hammer, fireman's ax, or other striking tool, allowing quicker access in an emergency.			
523005	02410	LOCK	25
523006	ACBLL	LARGE PHOENIX BREAKABLE PADLOCK	10
Gauges - Water Used to read the current pressure in a sprinkler system. 3-1/2" face, 0-300 PSI.			
523100		1/4" MIP	50
523101	101413	1/4" MIP - BRASS 2" 0-300PSI	1
Gauges - Air			
523102		1/4" 300 PSI AIR GAUGE	1
Riser Gauge Kit Consists of plug, bushing, nipple, three way valve and 300 PSI UL Listed gauge.			
523105		RISER GAUGE KIT	1
Flow Indicator Polycarbonate window. Flow indicator with 1/2" orifice allows inspection of flow in accordance with NFPA 13 #3-9.2. By combining the indicator with the orifice, piping is simplified. Access is provided to clean out the orifice without disturbing the piping by removing the ring and glass from the side of the indicator.			
530700	70HRP	1"	4
3-Way Valve Permits the checking or replacing of a gauge without shutting down the whole line. Rated for working pressures to 175 PSI. Bronze body, rubber disc.			
530760		1/4" FIP	10



Assorted Accessories

PFS Number	Mfg. Number	Description	Pack	
ACCESSORIES				
Fire Department Connections-Single				
An auxiliary inlet connection to supplement the fire protection water supply. 250 GPM minimum inlet capacity.				
602830	6345	1-1/2" FPT X FNST - W/ESCU "AUTO SPKLR"	1	
602840	6341	2-1/2" FPT X FNST - W/ESCU "AUTO SPKLR"	1	
602820		3" X 2-1/2" FNST X FPT	1	
Fire Department Connections-Siamese				
An exposed auxiliary inlet connection to supplement the fire protection water supply. 500 GPM inlet capacity. Single clapper unless otherwise noted.				
602900	21-201	4" X 2-1/2" NST -STRAIGHT	6	
602901		4" X 2-1/2" PHX -STRAIGHT	1	
602902		4" X 2-1/2" TEMPE -STRAIGHT	1	
602920	6410	4" X 2-1/2" NST -STRAIGHT/DOUBLE CLAPPER	1	
602910	21-202	4" X 2-1/2" NST -90 DEG.	6	
602911		4" X 2-1/2" PHX -90 DEG.	1	
602912		4" X 2-1/2" TEMPE -90 DEG.	1	
Storz Connections				
Storz type fire department connection. Typically for large diameter hose.				
603169	6360	30° WITH SCREEN - 4" X 4"	1	
603170	6362	WITH SCREEN - 4" X 5"	1	
Plugs				
Used on the department connections to prevent the entry of foreign matter and to protect the female threads. Cast brass, pin lug, attached chain.				
603020	6747	2-1/2" MNST	1	
603002		2-1/2" PHX	1	
603012		2-1/2" TEMPE	1	
Caps-Threaded				
Used to prevent the entry of foreign matter and to protect male outlet threads on valves and hydrants.				
603101	5709	1-1/2" FNST	1	
603102	5713	2-1/2" FNST	1	
603112		2-1/2" PHX	1	
603122		2-1/2" TEMPE	1	
FDC Caps-Breakable				
Same use as threaded plugs, but breakable ears permit fast hose connection. Each set includes two caps and all necessary nuts and eye bolts.				
603990	02-505	ALUMINUM (2/SET)	65	
603992	02-506	PLASTIC (2/SET)	100	
603995		METAL 3" EDC CAP (1 CAP)	1	

Assorted Accessories

PFS Number	Mfg. Number	Description	Pack
ACCESSORIES			
FDC Reducer-Lug			
Allows a standard 2-1/2" fire hose to be attached to a 1-1/2" fire department connection. Cast brass.			
603200	7245	2-1/2" X 1-1/2"	1
603230	7245	2-1/2" X 3/4"	1
Signs			
Used to label system components for easy identification or to provide important system information.			
522901	9816	DO NOT CLOSE - 6" X 2"	100
522902	9822	NORMALLY OPEN - 6" X 2"	100
522903	9821	NORMALLY CLOSED - 6" X 2"	100
522906	9802	ALARM LINE - 6" X 2"	100
522908		COLD WEATHER - 6" X 2"	100
522909	ACSIAT	ALARM TEST - 6" X 2"	100
522910	9806	AUXILIARY DRAIN - 6" X 2"	100
522912		ALARM TEST - 5" X 7"	100
522915	9809	CONTROL VALVE - 6" X 2"	100
522916		SPRINKLER WATER - 6" X 2"	100
522919	9811	DRAIN VALVE - 6" X 2"	100
522920	9820	MAIN DRAIN - 6" X 2"	100
522921	9812	DRY STANDPIPE - 6" X 2"	100
522922		AIR LINE - 6" X 2"	100
522926		HYDRAULIC SYSTEM DECAL - FOIL	100
522927		HYDRAULIC SYSTEM DECAL - PLAIN	100
522930	9817	INSPECTORS TEST - 6" X 2"	100
522931	ACSIATAD	TEST & DRAIN - 6" X 2"	100
522940	9819	MAIN CONTROL - 6" X 2"	100
522945	ACSISCV97	CONTROL VALVE - 9" X 7"	100
522952	ACSIWML	WATER MOTOR LINE - 6" X 2"	100
522955	9832	WET STANDPIPE - 6" X 2"	100
522961	ACSISFRR618	FIRE SPRINKLER RISER ROOM - 6" X 18"	100
522962	141835	SPRINKLER RISER ROOM - 6" X 12"	100
522907		FIRE DEPT. CONNECTION - 4" X 8"	100
522925	9834	HYDRAULICALLY CALCULATED - 4.5" X 6"	50
522904	9837	ALARM DIAL 911 - 7" ROUND	100
522900	9835	VALVE OPEN - 7-3/4" X 9"	50
522950	9836	SPRINKLER FIRE ALARM - 9" X 7"	50
522905		ANTI-FREEZE - 6" X 2"	100
522970	6760	FDC R/B SIGN "A/S" - 4" X 9-1/2"	100
522976		AUTO SPRINKLER ESCUTCHEON -2-1/2"	100
522977		AUTO SPRINKLER ESCUTCHEON -3"	100
522980	02508	FIRE DEPT. CONN. - ROUND / ALUMINUM	50
522981	02507	FIRE DEPT. CONN. - ROUND / PLASTIC	50
Sign Chain			
Used to hang signs from piping or valves.			
522990	02-200	100'	1
522992	ACSICH250	250'	1

