











CPVC Fittings

PFS Number	Mfg. Number	Description	Pack
<p>ABBREVIATIONS</p> <p>FIP = Female Pipe Thread GVD = Grooved MIP = Male Pipe Thread S = Slip SPG = Spigot</p> <p>CPVC Fittings Made from BF Goodrich BlazeMaster™ resin, a tough thermoplastic material with exceptional heat resistance and hydraulic capabilities. UL Listed and FM Approved.</p> <p>90° Elbows</p> <p>511121 4206-007 3/4" - SXS 240/30 511122 4206-010 1" - SXS 160/20 511123 4206-012 1-1/4" - SXS 10 511124 4206-015 1-1/2" - SXS 10</p> <p>511125 4206-020 2" - SXS 25 511126 4206-025 2-1/2" - SXS 5</p> <p>90° Elbows - Reducing</p> <p>511147 4207-101S 3/4" X 1/2" - SXFIP 20 511150 4207-130S 1" X 1/2" - SXFIP 10 511151 4206-131 1" X 3/4" - SXS 20</p> <p>45° Elbows</p> <p>511201 4217-007 3/4" - SXS 120 511202 4217-010 1" - SXS 15 511203 4217-012 1-1/4" - SXS 10 511204 4217-015 1-1/2" - SXS 10 511205 4217-020 2" - SXS 10 511206 4217-020 2-1/2" - SXS 5</p> <p>Tees Tees are read straight through and then outlet-1,2,3.</p> <p>511001 4201-007 3/4" - SXSXS 15 511002 4201-010 1" - SXSXS 15 511003 4201-012 1-1/4" - SXSXS 10 511004 4201-015 1-1/2" - SXSXS 10</p> <p>511005 4201-020 2" - SXSXS 10 511006 4201-025 2-1/2" - SXSXS 20 511007 4201-030 3" - SXSXS 5</p> <p>511095 4202-010 1" - SXSXFIP 10 511104 4202-010 1" - SXSXFIP 30</p> <p>511011 1/2" X 1/2" X 1" - FXFXS 10</p>			



CPVC Fittings

PFS Number	Mfg. Number	Description	Pack
Tees - Reducing			
		Tees are read straight through and then outlet-1,2,3.	
			
511012	4201-102	3/4" X 3/4" X 1" - SXSXS	15
511035	4201-125	1" X 3/4" X 3/4" - SXSXS	15
511036	4201-126	1" X 3/4" X 1" - SXSXS	15
511040	4201-131	1" X 1" X 3/4" - SXSXS	15
511044	4201-157	1-1/4" X 1" X 3/4" - SXSXS	15
511045	4201-158	1-1/4" X 1" X 1" - SXSXS	15
511046	4201-159	1-1/4" X 1" X 1-1/4" - SXSXS	15
511052	4201-167	1-1/4" X 1-1/4" X 3/4" - SXSXS	15
511053	4201-168	1-1/4" X 1-1/4" X 1" - SXSXS	15
511054	4201-169	1-1/4" X 1-1/4" X 1-1/2" - SXSXS	10
511058	4201-202	1-1/2" X 1-1/4" X 1" - SXSXS	10
511057		1-1/2" X 1-1/2" X 1-1/4" - SXSXS	10
511060	4201-210	1-1/2" X 1-1/2" X 3/4" - SXSXS	10
511061	4201-211	1-1/2" X 1-1/2" X 1" - SXSXS	10
511063	4201-213	1-1/2" X 1-1/2" X 2" - SXSXS	10
511070	4201-248	2" X 2" X 3/4" - SXSXS	10
511071	4201-249	2" X 2" X 1" - SXSXS	10
511073	4201-251	2" X 2" X 1-1/2" - SXSXS	10
511076		2-1/2" X 2-1/2" X 1" - SXSXS	10
511081	4201-339	3" X 3" X 2-1/2" - SXSXS	5
511100	4202-101S	3/4" X 3/4" X 1/2" - SXSXFIP	50
511101	4202-126S	1" X 3/4" X 1/2" - SXSXFIP	50
511102	4202-130S	1" X 1" X 1/2" - SXSXFIP	50
511110		1" X 1/2" X 1" - SXFIPXS	50
511105	4202-156S	1-1/4" X 1" X 1/2" - SXSXFIP	15
511107	4202-166S	1-1/4" X 1-1/4" X 1/2" - SXSXFIP	15
511112	4202-199S	1-1/2" X 1-1/4" X 1/2" - SXSXFIP	10
511114		1-1/2" X 1-1/2" X 1" - SXFIPXS (BRASS)	1
511115		2" X 1-1/2" X 1/2" - SXSXFIP (PLASTIC)	10
511116	4202-247S	2" X 2" X 1/2" - SXSXFIP	10
Crosses			
511231	4220-007	3/4" - SXSXSXS	15
511232	4220-010	1" - SXSXSXS	15
511233	4220-012	1-1/4" - SXSXSXS	10
511234	4220-015	1-1/2" - SXSXSXS	5
511235	4220-020	2" - SXSXSXS	5
511240	4220-131	1" X 3/4" - SXSXSXS	15
Caps			
511801	4247-007	3/4" - S	25
511802	4247-010	1" - S	15
511803	4247-012	1-1/4" - S	10
511804	4247-015	1-1/2" - S	10
511805	4247-020	2" - S	10
511807	4247-025	2-1/2" - S	5
511806	4247-030	3" - S	5






CPVC Fittings

PFS Number	Mfg. Number	Description	Pack
Couplings			
511301	4229-007	3/4" - SXS	15
511302	4229-010	1" - SXS	15
511303	4229-012	1-1/4" - SXS	10
511304	4229-015	1-1/2" - SXS	10
511305	4229-020	2" - SXS	10
511306	4229-025	2-1/2" - SXS	5
511315	4229-131	1" X 3/4" - SXS	15
511318	4229-168	1-1/4" X 1" - SXS	25
511319	4229-212	1-1/2" X 1-1/4" - SXS	1
Couplings - Reducing Head Adapter			
511500	4235-101SR	3/4" X 1/2" - ADAPT - PLASTIC	50
511400	4235-101S	3/4" X 1/2" - SXFIP - BRASS	50
511502	4235-130SR	1" X 1/2" - ADAPT - PLASTIC	50
511402	4235-130S	1" X 1/2" - SXFIP - BRASS	50
511410	4235-131S	1" X 3/4" - SXFIP	50
511315	4229-131	1" X 3/4" - SXS	15
Bushings			
511600	4237-131	1" X 3/4" - SXS	50
511602	4237-167	1-1/4" X 3/4" - SXS	25
511603	4237-168	1-1/4" X 1" - SXS	25
511604	4237-210	1-1/2" X 3/4" - SXS	25
511605	4237-211	1-1/2" X 1" - SXS	25
511606	4237-212	1-1/2" X 1-1/4" - SXS	25
511612	4237-248	2" X 3/4" - SXS	10
511613	4237-249	2" X 1" - SXS	10
511615	4237-250	2" X 1-1/4" - SXS	10
511623	4237-251	2" X 1-1/2" - SXS	10
511650	4237-292	2-1/2" X 2" - SXS	10
511670	4237-338	3" X 2" - SXS	10
511640	4237-339	3" X 2-1/2" - SXS	10
511690	4238-101S	3/4" X 1/2" - SXFIP	50
511702	4238-130S	1" X 1/2" - SPGXFIP	50
511716	42001	3/4" X 1/2" - SXF	10
511720	42004	3/4" X 1/2" - SXF	10
511718	42011	1" X 1/2" - SXF	10
Unions			
511932	4257-010	1" - SXS	10
511933	4257-012	1-1/4" - SXS	5



BlazeMaster 



CPVC Fittings, Cement & CPVC Pipe

PFS Number	Mfg. Number	Description	Pack
Female Adapters			
511380	4235-007	3/4" - SXFIP	15
511390	4235-010	1" - SXFIP	15
511391	4235-012	1-1/4" - SXFIP	15
511392	4235-015	1-1/2" - SXFIP	10
511393	4235-020	2" - SXFIP	5
Female Adapters - Adjustable			
511720	42014	3/4" X 1/2" - SPGXFIP	10
511721		1" X 1/2" - SPGXFIP	10
Grooved Adapters			
511953	4275-012	1-1/4" - SXGVD	10
511954	4275-015	1-1/2" - SXGVD	10
511955	4275-020	2" - SXGVD	5
511956	4275-025	2-1/2" - SXGVD	5
Glue Dauber			
Replaces worn or lost dauber for solvent cement or primer.			
512025	997-0301	1-1/2" - QUART CANS	1
1-Step Low VOC CPVC Cement			
Used to solvent weld the joints between CPVC pipe and fittings. Low VOC.			
512030	FS4-020	PINT	12
512031	FS4-030	QUART	12
Teflon® Paste for CPVC			
Thread sealant used with CPVC threaded fittings only.			
512040		PT-BLUE 75 - THREAD SEALANT	12
CPVC PIPE			
CPVC is a plastic pipe used for fire protection application in residential homes.			
073021		3/4" X 15'	9000' /LIFT 450
073022		1" X 15'	5100' /LIFT 255
073023		1-1/4" X 15'	4200' /LIFT 210
073024		1-1/2" X 15'	2475' /LIFT 165
073025		2" X 15'	1800' /LIFT 75
073026		2-1/2" X 15'	900' /LIFT 60
073027		3" X 15'	720' /LIFT 45

