

Steel Pipe

PFS Number	Mfg. Number	Description	Pack
BLACK STEEL PIPE - DOMESTIC			
Schedule 40 - Plain End			
Premium all purpose pipe for threading. Ordered by the foot.			
070976*		1" X 10' 6"	70 PC. /LIFT
070986		1" X 21'	1470' /LIFT
070987		1-1/4" X 21'	1071' /LIFT
070988		1-1/2" X 21'	924' /LIFT
070989		2" X 21'	630' /LIFT
070990		2-1/2" X 21'	378' /LIFT
070991		3" X 21'	294' /LIFT
070992		4" X 21'	210' /LIFT
070994		6" X 21'	21' /LIFT
070966		1" X 24'	1680' /LIFT
070967		1-1/4" X 24'	1224' /LIFT
070968		1-1/2" X 24'	1056' /LIFT
070969		2" X 24'	720' /LIFT
* Ordered by the piece			
Dyna Thread 40 - Plain End			
An excellent low cost alternative to Schedule 40 pipe. Commonly referred to as "Schedule 30", the wall thickness is less than Schedule 40 but it is more than threadable thinwall pipe. Ordered by the foot. UL Listed/ FM Approved.			
072502		1" X 21'	1470' /LIFT
072503		1-1/4" X 21'	1071' /LIFT
072504		1-1/2" X 21'	924' /LIFT
072505		2" X 21'	630' /LIFT
072512		1" X 24'	1680' /LIFT
072513		1-1/4" X 24'	1224' /LIFT
072514		1-1/2" X 24'	1056' /LIFT
072515		2" X 24'	720' /LIFT
072520		1-1/2" X 25'	1100' /LIFT
072525		2" X 25'	750' /LIFT
072552*		1" X 10' 6"	70 PC. /LIFT
072553*		1-1/4" X 10' 6"	51 PC. /LIFT
072554*		1-1/2" X 10' 6"	44 PC. /LIFT
072555*		2" X 10' 6"	30 PC. /LIFT
* Ordered by the piece			



ALLIED / AMERICAN TUBE



Steel Pipe

PFS Number	Mfg. Number	Description	Pack
<p>Black Light Threadable - Plain End The lowest cost alternative to Schedule 40 pipe. Less wall thickness than other types of threadable pipe, but it can still be threaded without adjusting dies. Ordered by the foot.</p>			
072202		1" X 21'	1911' /LIFT
072203		1-1/4" X 21'	1281' /LIFT
072204		1-1/2" X 21'	1281' /LIFT
072205		2" X 21'	777' /LIFT
072222		1" X 24'	2184' /LIFT
072223		1-1/4" X 24'	1464' /LIFT
072224		1-1/2" X 24'	1464' /LIFT
072225		2" X 24'	888' /LIFT
<p>Schedule 10 - Plain End Used when grooved or mechanical connections and grooved, mechanical, or welded outlets are to be used. Ordered by the foot.</p>			
072300		1-1/2" X 21'	1281' /LIFT
072301		2" X 21'	777' /LIFT
072302		2-1/2" X 21'	630' /LIFT
072303		3" X 21'	399' /LIFT
072304		4" X 21'	399' /LIFT
072306		6" X 21'	210' /LIFT
072308		8" X 21'	147' /LIFT
072349		1-1/4" X 24'	1464' /LIFT
072350		1-1/2" X 24'	1464' /LIFT
072351		2" X 24'	888' /LIFT
072352		2-1/2" X 24'	720' /LIFT
072353		3" X 24'	456' /LIFT
072354		4" X 24'	456' /LIFT
072356		6" X 24'	240' /LIFT
072358		8" X 24'	168' /LIFT
<p>Dyna Flow - Plain End An excellent low cost alternative to schedule 10 pipe. Commonly referred to as "schedule 7", the wall thickness is less than that of schedule 10 pipe, but it can still be used with welded outlets. Ordered by the foot. UL Listed/ FM Approved.</p>			
072403		1-1/4" X 21'	1281' /LIFT
072404		1-1/2" X 21'	1281' /LIFT
072405		2" X 21'	777' /LIFT
072406		2-1/2" X 21'	630' /LIFT
072407		3" X 21'	399' /LIFT
072408		4" X 21'	399' /LIFT
072409		6" X 21'	210' /LIFT
072443		1-1/4" X 24'	1464' /LIFT
072444		1-1/2" X 24'	1464' /LIFT
072445		2" X 24'	888' /LIFT
072446		2-1/2" X 24'	720' /LIFT
072447		3" X 24'	456' /LIFT
072448		4" X 24'	456' /LIFT
072449		6" X 24'	240' /LIFT



ALLIED / AMERICAN TUBE



Northwest Pipe Company






Pipe

Steel, Galvanized and CPVC Pipe

PFS Number	Mfg. Number	Description	Pack
Dyna Flow - Grooved			
072576		2-1/2" X 21' GRV X GRV	630' /LIFT
072577		3" X 21' GRV X GRV	399' /LIFT
072578		4" X 21' GRV X GRV	399' /LIFT
072583		1-1/4" X 24' GRV X GRV	1464' /LIFT
072584		1-1/2" X 24' GRV X GRV	1464' /LIFT
072585		2" X 24' GRV X GRV	888' /LIFT
072586		2-1/2" X 24' GRV X GRV	720' /LIFT
072587		3" X 24' GRV X GRV	456' /LIFT
072588		4" X 24' GRV X GRV	456' /LIFT
Galvanized Pipe			
Made of steel with a galvanized coating, Schedule 40 galvanized pipe is widely used where rust resistance, strength and rigidity are important.			
		Threaded	Order by the foot
070804		1/2" X 21' T&C	2520' /LIFT
070805		3/4" X 21' T&C	1764' /LIFT
070806		1" X 21' T&C	1260' /LIFT
070807		1-1/4" X 21' T&C	882' /LIFT
070808		1-1/2" X 21' T&C	756' /LIFT
070809		2" X 21' T&C	546' /LIFT
070810		2-1/2" X 21' T&C	378' /LIFT
070811		3" X 21' T&C	231' /LIFT
070812		4" X 21' T&C	189' /LIFT
416910		1" X 120"	ORDER BY THE PIECE
417910		1-1/4" X 120"	ORDER BY THE PIECE
418910		1-1/2" X 120"	ORDER BY THE PIECE
419490		2" X 120"	ORDER BY THE PIECE
CPVC PIPE - Blazemaster			
Made from BF Goodrich BlazeMaster™ resin (a tough thermo-plastic material with exceptional hydraulic capabilities) is used primarily in residential and light hazard applications. Ordered by the foot.			
073101		3/4" X 15'	375 / 7875
073102		1" X 15'	240 / 5040
073103		1-1/4" X 15'	135 / 2835
073104		1-1/2" X 15'	105 / 2205
073105		2" X 15'	60 / 1260
073106		2-1/2" X 15'	15 / 1215
CPVC - Fire Pipe			
073021		3/4" X 15'	450 / 9000
073022		1" X 15'	255 / 5100
073023		1-1/4" X 15'	210 / 4200
073024		1-1/2" X 15'	165 / 2475
073025		2" X 15'	75 / 1800
073026		2-1/2" X 15'	60/900
073027		3" X 15'	45/720






ALLIED / AMERICAN TUBE



Copper and Ductile Iron Pipe

PFS Number	Mfg. Number	Description	Pack
COPPER PIPE - Type M			
For interior use. Ordered by the foot or piece (depending on size).			
463274		1/2" X 10' - TYPE M	1 / 25 PCS.
463275		3/4" X 10' - TYPE M	1 / 15 PCS.
463276		1" X 10' - TYPE M	1 / 5 PCS.
463204		1/2" X 20' - TYPE M	20 / 500 FT.
463205		3/4" X 20' - TYPE M	20 / 300 FT.
463206		1" X 20' - TYPE M	20 / 100 FT.
463207		1-1/4" X 20' - TYPE M	20 / 100 FT.
463208		1-1/2" X 20' - TYPE M	20 / 100 FT.
463209		2" X 20' - TYPE M	20 / 100 FT.
COPPER PIPE - Type L			
For exterior or buried use. Ordered by the foot or piece (depending on size).			
463284		1/2" X 10' - TYPE L	1 / 25 PCS.
463285		3/4" X 10' - TYPE L	1 / 15 PCS.
463286		1" X 10' - TYPE L	1 / 5 PCS.
463194		1/2" X 20' - TYPE L	20 / 500 FT.
463195		3/4" X 20' - TYPE L	20 / 300 FT.
463196		1" X 20' - TYPE L	20 / 100 FT.
463197		1-1/4" X 20' - TYPE L	20 / 100 FT.
463198		1-1/2" X 20' - TYPE L	20 / 100 FT.
463199		2" X 20' - TYPE L	20 / 100 FT.
BRASS PIPE			
070304		1/2" X 20' - RED BRASS PIPE	20 FT.
UNDERGROUND PIPE			
Ductile Iron - Push-On			
Used for underground piping. Cement lined, bituminous black coating, rubber gasket. Rated for working pressures to 350 PSI. Ordered by the piece.			
073006		6" X 18-1/2' - CLASS 50	1
073008		8" X 18-1/2' - CLASS 50	1
073010		10" X 18-1/2' - CLASS 50	1
073154		4" X 20' - CLASS 52	1
073206		6" X 18-1/2' - CLASS 52	1
073208		8" X 18-1/2' - CLASS 52	1




Push-On

Pipe

C-900 PVC and Restraints

PFS Number	Mfg. Number	Description	Pack
		C-900 PVC - Push-On Used for underground piping where low cost and high corrosion resistance are desired. Class 150 is rated for working pressures to 150 PSI, class 200 is rated for working pressures to 200 PSI. Each piece is shipped with the necessary gasket. Ordered by the foot.	
070614		4" X 20' - CLASS 150	960' /LIFT
070616		6" X 20' - CLASS 150	360' /LIFT
070618		8" X 20' - CLASS 150	300' /LIFT
070620		10" X 20' - CLASS 150	160' /LIFT
070634		4" X 20' - CLASS 200	960' /LIFT
070636		6" X 20' - CLASS 200	360' /LIFT
070638		8" X 20' - CLASS 200	300' /LIFT
070640		10" X 20' - CLASS 200	160' /LIFT
		Restraints-C-900 Used to restrain push-on joints between two pieces of C-900 PVC pipe.	
545324		4" PIPE X FTG	1
545334		4" PIPE X PIPE	1
545336		6" PIPE X PIPE	1
545338		8" PIPE X PIPE	1

PW Pipe



EBA IRON
EBA IRON SALES, INC.

